

## Application No. Applicant(s) 10/786.785 YAGI, TOMOYUKI Notice of Allowability Examiner **Art Unit** Don Williams 2878 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 26 October 2006. 2. The allowed claim(s) is/are 2-10, 12-14. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) Some\* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO/SB/08). 7. Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other Supervisory Patent Examine **Technology Center 2800**

Art Unit: 2878

## **DETAILED ACTION**

Claims 2-10 and 12-14 are allowed.

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: The prior art fails to either singly or in combination disclose a phototimer detection unit which is arranged on a substrate, for detecting the radiation or visible light and generating a detected signal and transferring the detected signal to a signal line to control exposure of the radiation or visible light and a second read unit which is connected to the signal line for reading the detected signal detected by the phototimer detection unit from the signal line regarding claim (2), claim (9), and claim (12).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Don Williams whose telephone number is 571-272-8538. The examiner can normally be reached on 8:30a.m. to 5:30a.m..

Application/Control Number: 10/786,785

Art Unit: 2878

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Georgia Epps

Supervisory Patent Examiner Technology Center 2800